



RSUD KAJEN KAB. PEKALONGAN

Jl. Raya Karang Sari Karanganyar, Pekalongan, Jawa Tengah

0285-385230

E-mail : rsudkajen@pekalongankab.go.id

HASIL PEMERIKSAAN LABORATORIUM

No.RM : 516671 No.Permintaan Lab : PK202409230169
Nama Pasien : FAJAROH Tgl.Permintaan : 23-09-2024
JK/Umur : P / 27 Th 11 BI 16 Hr Jam Permintaan : 17:42:33
Alamat : KALIOMBO 3/2 PANINGGARAN, -, Tgl. Keluar Hasil : 23-09-2024
No.Periksa : 2024/09/23/000722 Jam Keluar Hasil : 19:54:34
Dokter Pengirim : dr. GOTHA APRILIA KURNIAPUTRI Kamar : VK-IGD2, VK/PONEK

Pemeriksaan	Hasil	Satuan	Nilai Rujukan	Keterangan
Antigen SARS CoV 2 Panel Persiapan SC				
DARAH LENGKAP :				PPH + SYOK HEMORAGIK + ANEMIA
Hemoglobin	7.3		11.7 - 15.5	PPH + SYOK HEMORAGIK + ANEMIA
Hematokrit	22.4		35 - 47	PPH + SYOK HEMORAGIK + ANEMIA
Lekosit	14.71		3.6 - 11	PPH + SYOK HEMORAGIK + ANEMIA
Trombosit	414.0		150 - 440	PPH + SYOK HEMORAGIK + ANEMIA
Eritrosit	2.58		3.8 - 5.2	PPH + SYOK HEMORAGIK + ANEMIA
M C V	87.2		80 - 100	PPH + SYOK HEMORAGIK + ANEMIA
M C H	28.5		26 - 34	PPH + SYOK HEMORAGIK + ANEMIA
M C H C	32.7		32 - 36	PPH + SYOK HEMORAGIK + ANEMIA
RDW	14.6		11.5 - 14.5	PPH + SYOK HEMORAGIK + ANEMIA
PDW	15.9		9.0 - 13.0	PPH + SYOK HEMORAGIK + ANEMIA
MPV	7.8		7.9 - 11.1	PPH + SYOK HEMORAGIK + ANEMIA
HITUNG JENIS (DIFF) :				PPH + SYOK HEMORAGIK + ANEMIA
- Eosinofil	0		2 - 4	PPH + SYOK HEMORAGIK + ANEMIA
- Basofil	1		0 - 1	PPH + SYOK

- Neutrofil Batang	0		50 - 70	HEMORAGIK + ANEMIA
- Neutrofil Segmen	79		25 - 60	PPH + SYOK HEMORAGIK + ANEMIA
- Limfosit	18		25 - 40	PPH + SYOK HEMORAGIK + ANEMIA
- Monosit	2		2 - 8	PPH + SYOK HEMORAGIK + ANEMIA
- NLR	4.50		1 - 3	PPH + SYOK HEMORAGIK + ANEMIA
Waktu Pembekuan (CT)	8'30"	Menit		PPH + SYOK HEMORAGIK + ANEMIA
Waktu perdarahan (BT)	4'15"	Menit		PPH + SYOK HEMORAGIK + ANEMIA
Golongan Darah	B			PPH + SYOK HEMORAGIK + ANEMIA
Glukosa Sewaktu	170		70 - 140	PPH + SYOK HEMORAGIK + ANEMIA
SGOT	11.3	U/L	0 - 35	PPH + SYOK HEMORAGIK + ANEMIA
SGPT	10.0	U/L	0 - 35	PPH + SYOK HEMORAGIK + ANEMIA
Ureum	18.5	mg/dL	< 48	PPH + SYOK HEMORAGIK + ANEMIA
Creatinin	0.7	mg/dL	0.45 - 0.75	PPH + SYOK HEMORAGIK + ANEMIA
HBsAg	Non Reaktif		Non Reaktif	PPH + SYOK HEMORAGIK + ANEMIA
HIV	Non Reaktif		Non Reaktif	PPH + SYOK HEMORAGIK + ANEMIA
TPHA	Negatif			PPH + SYOK HEMORAGIK + ANEMIA

Catatan : Jika ada keragu-raguan pemeriksaan, diharapkan segera menghubungi laboratorium.

Tgl.Cetak : 23/09/2024 20.00.36

Penanggung Jawab

Petugas Laboratorium



dr. M.R. RATRI TITISARI S, Sp.PK

KENYO K.P, A.Md