



RSUD KAJEN KAB. PEKALONGAN

Jl. Raya Karang Sari Karanganyar, Pekalongan, Jawa Tengah

0285-385230

E-mail : rsudkajen@pekalongankab.go.id

HASIL PEMERIKSAAN LABORATORIUM

No.RM : 266436 No.Permintaan Lab : PK202409210143
Nama Pasien : ANISA ANATALIA Tgl.Permintaan : 21-09-2024
JK/Umur : P / 15 Th 4 BI 16 Hr Jam Permintaan : 23:59:09
Alamat : WONOSARI 1/6 SIWALAN, -, -, - Tgl. Keluar Hasil : 22-09-2024
No.Periksa : 2024/09/21/000936 Jam Keluar Hasil : 17:49:32
Dokter Pengirim : dr. DIAN KAFahasINDAYA Kamar : MTH-J2, MATAHARI KELAS

Pemeriksaan	Hasil	Satuan	Nilai Rujukan	Keterangan
Gula Darah Stick				CKS GCS 9 VE Facialis
Gula Darah Stick	122			
Panel Persiapan Bedah				CKS GCS 9 VE Facialis
DARAH LENGKAP :				CKS GCS 9 VE Facialis
Hemoglobin	7.5		12.8 - 16.8	CKS GCS 9 VE Facialis
Hematokrit	25.2		38 - 59	CKS GCS 9 VE Facialis
Lekosit	12.80		4.5 - 13	CKS GCS 9 VE Facialis
Trombosit	385.0		150 - 400	CKS GCS 9 VE Facialis
Eritrosit	4.15		3.8 - 5.8	CKS GCS 9 VE Facialis
M C V	60.7		69 - 93	CKS GCS 9 VE Facialis
M C H	18.1		22 - 34	CKS GCS 9 VE Facialis
M C H C	29.8		32 - 36	CKS GCS 9 VE Facialis
RDW	18.6		11.5 - 14.5	CKS GCS 9 VE Facialis
PDW	15.7		9.0 - 13.0	CKS GCS 9 VE Facialis
MPV	8.8		7.9 - 11.1	CKS GCS 9 VE Facialis
HITUNG JENIS (DIFF) :				CKS GCS 9 VE Facialis
- Eosinofil	0		1 - 5	CKS GCS 9 VE Facialis
- Basofil	0		0 - 1	CKS GCS 9 VE Facialis
- Neutrofil Segmen	80		25 - 60	CKS GCS 9 VE Facialis
- Limfosit	14		20 - 50	CKS GCS 9 VE Facialis
- Monosit	6		1 - 6	CKS GCS 9 VE Facialis
- NLR	5.91		1 - 3	CKS GCS 9 VE Facialis
Waktu Pembekuan (CT)	8'00"	Menit		CKS GCS 9 VE Facialis
Waktu perdarahan (BT)	3'45"	Menit		CKS GCS 9 VE

Golongan Darah	O			Facialis
Glukosa Sewaktu	95		60 - 100	CKS GCS 9 VE Facialis
Ureum	15.7	mg/dL	< 48	CKS GCS 9 VE Facialis
Creatinin	0.6	mg/dL	< 1.0	CKS GCS 9 VE Facialis
HBsAg	Non Reaktif		Non Reaktif	CKS GCS 9 VE Facialis
SGOT	29.4		< 25	CKS GCS 9 VE Facialis
SGPT	5.5		< 25	CKS GCS 9 VE Facialis

Catatan : Jika ada keragu-raguan pemeriksaan, diharapkan segera menghubungi laboratorium.

Tgl.Cetak : 22/09/2024 18.54.44

Penanggung Jawab

Petugas Laboratorium



dr. M.R. RATRI TITISARI S, Sp.PK

KENYO K.P, A.Md