



RSUD KAJEN KAB. PEKALONGAN

Jl. Raya Karang Sari Karanganyar, Pekalongan, Jawa Tengah

0285-385230

E-mail : rsudkajen@pekalongankab.go.id

HASIL PEMERIKSAAN LABORATORIUM

No.RM : 815325 No.Permintaan Lab : PK202410160054
Nama Pasien : DUHRIM Tgl.Permintaan : 16-10-2024
JK/Umur : L / 60 Th 8 BI 25 Hr Jam Permintaan : 07:18:44
Alamat : KALIBOJA 3/4 PANINGGARAN, -, -, - Tgl. Keluar Hasil : 16-10-2024
No.Periksa : 2024/10/16/000262 Jam Keluar Hasil : 12:05:15
Dokter Pengirim : dr. ISMI CAHYA DHELIMA Kamar : ALMD-I2, ALAMANDA

Pemeriksaan	Hasil	Satuan	Nilai Rujukan	Keterangan
Darah Lengkap 5 Diff				
DARAH LENGKAP :				stemi anteroseptal
Hemoglobin	13.7	gr/dL	13.2 - 17.3	stemi anteroseptal
Hematokrit	41.6	%	40 - 52	stemi anteroseptal
Lekosit	10.36	10 ³ / uL	3.8 - 10.6	stemi anteroseptal
Trombosit	298.0	10 ³ / uL	150 - 440	stemi anteroseptal
Eritrosit	4.86	10 ⁶ / uL	4.4 - 5.9	stemi anteroseptal
M C V	85.5	fl	80 - 100	stemi anteroseptal
M C H	28.3	pg	26 - 34	stemi anteroseptal
M C H C	33.1	g/dL	32 - 36	stemi anteroseptal
RDW	14.3	%	11.5 - 14.5	stemi anteroseptal
PDW	15.9	fL	9.0 - 13.0	stemi anteroseptal
MPV	8.2	fL	7.9 - 11.1	stemi anteroseptal
HITUNG JENIS (DIFF) :				stemi anteroseptal
- Eosinofil	0	%	2 - 4	stemi anteroseptal
- Basofil	0	%	0 - 1	stemi anteroseptal
- Neutrofil Segmen	85	%	25 - 60	stemi anteroseptal
- Limfosit	11	%	25 - 40	stemi anteroseptal
- Monosit	4	%	2 - 8	stemi anteroseptal
- NLR	8.08		1 - 3	stemi anteroseptal
Gula Darah Sewaktu				
Gula Darah Sewaktu	111	mg/dL	70 - 140	stemi anteroseptal
Ureum				
Ureum	22.0	mg/dL	< 48	stemi anteroseptal

Creatinin				
Creatinin	0.7	mg/dL	0.62 - 1.10	stemi anteroseptal
Panel Fungsi Jantung				
CK-MB	15.4	ng/ml	0 - 4.3	stemi anteroseptal
Troponin I	1.82	ng/mL	0.00 - 0.02	stemi anteroseptal
BNP	53.4	pg/ml	0.0 - 100	stemi anteroseptal
Profil Lipid				
Kolesterol Total	192	mg/dL	< 200	stemi anteroseptal
Trigliserid	53	mg/dL	70 - 140	stemi anteroseptal
HDL-Kolesterol	57	mg/dL	28 - 63	stemi anteroseptal
LDL-Kolesterol	125	mg/dL	Yang dianjurkan : < 130 Resiko	stemi anteroseptal
Panel Elektrolit				
Natrium	136	mmol/l	135 - 147	stemi anteroseptal
Kalium	3.6	mmol/l	3.5 - 5.0	stemi anteroseptal
Calcium	1.23	mmol/L	1 - 1.3	stemi anteroseptal

Catatan : Jika ada keragu-raguan pemeriksaan, diharapkan segera menghubungi laboratorium.

Tgl.Cetak : 16/10/2024 12.53.41

Penanggung Jawab

Petugas Laboratorium



dr. M.R. RATRI TITISARI S, Sp.PK

KENYO K.P, A.Md