



RSUD KAJEN KAB. PEKALONGAN

Jl. Raya Karang Sari Karanganyar, Pekalongan, Jawa Tengah

0285-385230

E-mail : rsudkajen@pekalongankab.go.id

HASIL PEMERIKSAAN LABORATORIUM

No.RM : 226435 No.Permintaan Lab : PK202409170160
Nama Pasien : MUHAMMAD MAKMUR Tgl.Permintaan : 17-09-2024
JK/Umur : L / 38 Th 8 Bl 5 Hr Jam Permintaan : 23:47:35
Alamat : KARANGDADAP 2/5 Tgl. Keluar Hasil : 18-09-2024
No.Periksa : 2024/09/17/000706 Jam Keluar Hasil : 12:02:26
Dokter Pengirim : dr. AHMADA BAGUS PRIAMBADA Kamar : AGR-B5, ANGGREK

Pemeriksaan	Hasil	Satuan	Nilai Rujukan	Keterangan
Darah Lengkap 5 Diff				Bradikardi CHF NYHA IV Dyspepsia
DARAH LENGKAP :				Bradikardi CHF NYHA IV Dyspepsia
Hemoglobin	15.4	gr/dL	13.2 - 17.3	Bradikardi CHF NYHA IV Dyspepsia
Hematokrit	47.1	%	40 - 52	Bradikardi CHF NYHA IV Dyspepsia
Lekosit	9.16	10 ³ / uL	3.8 - 10.6	Bradikardi CHF NYHA IV Dyspepsia
Trombosit	354.0	10 ³ / uL	150 - 440	Bradikardi CHF NYHA IV Dyspepsia
Eritrosit	5.62	10 ⁶ / uL	4.4 - 5.9	Bradikardi CHF NYHA IV Dyspepsia
M C V	83.7	fl	80 - 100	Bradikardi CHF NYHA IV Dyspepsia
M C H	27.3	pg	26 - 34	Bradikardi CHF NYHA IV Dyspepsia
M C H C	32.7	g/dL	32 - 36	Bradikardi CHF NYHA IV Dyspepsia
RDW	16.1	%	11.5 - 14.5	Bradikardi CHF NYHA IV Dyspepsia
PDW	15.8	fL	9.0 - 13.0	Bradikardi CHF NYHA IV Dyspepsia
MPV	9.4	fL	7.9 - 11.1	Bradikardi CHF NYHA IV Dyspepsia
HITUNG JENIS (DIFF) :				Bradikardi CHF NYHA IV Dyspepsia
- Eosinofil	1	%	2 - 4	Bradikardi CHF NYHA IV Dyspepsia
- Basofil	1	%	0 - 1	Bradikardi CHF NYHA IV Dyspepsia

- Neutrofil Segmen	49	%	25 - 60	Bradikardi CHF NYHA IV Dyspepsia
- Limfosit	43	%	25 - 40	Bradikardi CHF NYHA IV Dyspepsia
- Monosit	6	%	2 - 8	Bradikardi CHF NYHA IV Dyspepsia
- NLR	1.13		1 - 3	Bradikardi CHF NYHA IV Dyspepsia
Ureum				
Ureum	149.8	mg/dL	< 48	Bradikardi CHF NYHA IV Dyspepsia
Creatinin				
Creatinin	2.4	mg/dL	0.62 - 1.10	Bradikardi CHF NYHA IV Dyspepsia
SGOT				
SGOT	272.4	U/L	0 - 50	Bradikardi CHF NYHA IV Dyspepsia
SGPT				
SGPT	260.8	U/L	0 - 50	Bradikardi CHF NYHA IV Dyspepsia
Panel Elektrolit				
Natrium	131	mmol/l	135 - 147	Bradikardi CHF NYHA IV Dyspepsia
Kalium	5.9	mmol/l	3.5 - 5.0	Bradikardi CHF NYHA IV Dyspepsia
Calcium	1.18	mmol/L	1 - 1.3	Bradikardi CHF NYHA IV Dyspepsia

Catatan : Jika ada keragu-raguan pemeriksaan, diharapkan segera menghubungi laboratorium.

Tgl.Cetak : 18/09/2024 18.49.34

Penanggung Jawab

Petugas Laboratorium



dr. M.R. RATRI TITISARI S, Sp.PK



KENYO K.P, A.Md